This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

1. (Currently Amended) A composition for pharmaceutical or cosmetic application, or as a nutritional supplement having antioxidant properties comprising at least one compound of the formula I in an amount of from 0.01 to 20% by weight of such composition

where R1 to R10 may be identical or different and are selected from

- Н
- $OR^{11}$
- a straight-chain or branched C1- to C20-alkyl group,
- a straight-chain or branched C3- to C20-alkenyl group,
- a straight-chain or branched C1- to C20-hydroxyalkyl group, where the hydroxyl group is bonded to a primary or secondary carbon atom of the alkyl group and wherein the alkyl group is optionally interrupted by oxygen, and/or
- a C<sub>3</sub>- to C<sub>10</sub>-cycloalkyl group, or a C<sub>3</sub>- to C<sub>12</sub>-cycloalkenyl group, where the rings are each optionally bridged by  $-(CH_2)_n$ - group, where n = 1 to 3,
- where OR11 is, independently of one another,
  - OH
  - a straight-chain or branched C1- to C20-alkoxy group,
  - a straight-chain or branched C3- to C20-alkenyloxy group,
  - a straight-chain or branched C1- to C20-hydroxyalkoxy group, where the hydroxyl group is bonded to a primary or secondary carbon atom of the chain and furthermore the alkyl chain is optionally interrupted by oxygen,
  - a  $C_{3}$  to  $C_{10}$ -cycloalkoxy group, or a  $C_{3}$  to  $C_{12}$ -cycloalkenyloxy group, where the 2

- rings are each optionally bridged by  $-(CH_2)_{n-}$  group, where n = 1 to 3,
- a mono- and/or oligoglycosyl radicals,

## with the proviso that:

at least 3 radicals from R<sup>1</sup> to R<sup>7</sup> are OH and that at least 2 pairs of -OH groups in the
molecule are located at positions on a ring adjacent to one another, or R<sup>2</sup>, R<sup>5</sup> and R<sup>6</sup> are
OH and the radicals R<sup>1</sup>, R<sup>3</sup>, R<sup>4</sup> and R<sup>7-10</sup> are H<sup>1</sup>/<sub>2</sub>

wherein the at least one compound of the formula I combines anti-oxidant and UV absorption properties.

- 2. (Previously presented) A composition of claim 1, comprising at least one compound of the formula I wherein radicals  $R^1$  to  $R^4$  and radicals  $R^5$  to  $R^7$  each comprise at least two -OH groups located at positions on a ring adjacent to one another.
- 3. (Previously presented) A composition of claim 1, comprising at least one compound of the formula I wherein radicals R<sup>1</sup> to R<sup>4</sup> comprise at least three -OH groups located at positions on a ring adjacent to one another.
- 4. (Previously presented) A composition of claim 1, comprising at least one compound of the formula I wherein the radicals  $R^1$  to  $R^3$  are OH.
- (Previously presented) A composition of claim 1, comprising one or more compounds of the formula I in an amount of from 1 to 8% by weight.
- (Previously presented) A composition of claim 1, comprising one or more compounds of the formula I in an amount of from 0.1 to 10% by weight.
- (Previously presented) A composition of claim 1, for the protection of body cells
  against oxidative stress, further comprising one or more other antioxidants and/or vitamins.

- 8. (Previously presented) A composition of claim 7, wherein said anti-oxidant or vitamin is vitamin A palmitate, vitamin C or a derivative thereof, DL-α-tocopherol, tocopherol E acetate, nicotinic acid, pantothenic acid or biotin.
- 9. (Previously presented) A composition of claim 1, further comprising one or more
- 10. (Previously presented) A composition of claim 9, wherein said UV filter is 3-(4'-methylbenzylidene)-dl-camphor, 1-(4-tert-butylphenyl)-3-(4-methoxyphenyl)propane-1,3-dione, 4-isopropyldibenzoylmethane, 2-hydroxy-4-methoxybenzophenone, octyl methoxycinnamate, 3,3,5-trimethylcyclohexyl salicylate, 2-ethylhexyl 4-(dimethylamino)benzoate, 2-ethylhexyl 2-cyano-3,3-diphenylacrylate, or 2-phenylbenzimidazole-5-sulfonic acid and its potassium, sodium and triethanolamine salts.
- 11. (Previously presented) A composition of claim 1, said composition being a food or a food supplement and further comprising an excipient which is suitable for a food or a food supplement.
- 12. (Withdrawn) A process for preparing a composition of claim 11, comprising mixing a compound of formula I with an excipient which is suitable cosmetically or dermatologically or for food.
- 13. (Withdrawn) A process according to claim 12, wherein the compound of formula I is prepared by reacting a 2-hydroxyacetophenone compound with a lithium compound and subsequently a keto compound.
- 14. (Withdrawn) A method for achieving an anti-oxidant effect on a patient comprising administering to the patient a composition of claim 1.

- 15. (Withdrawn) A method of claim 14, wherein the composition is applied to the
- 16. (Withdrawn) A method of claim 14, wherein the composition further comprises at least one UV filter compound.
- 17. (Withdrawn) A method of claim 16, wherein the UV filter is a dibenzoylmethane compound.
- 18. (Previously presented) A composition of claim 1, which is in the form of an emulsion.
- 19. (New) A composition of claim 1, wherein the composition is a cosmetic composition which further comprises a cosmetic excipient.
- 20. (New) A composition of claim 1, wherein the compound of formula I excludes the compound wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^5$  and  $R^6$  are simultaneously OH.